



Vulcan Seals

Vulcan vs Seal Number Reference List

Vulcan Seal Numbers follow the same standard "PS" number format used in the USA market except a "VS" prefix is used instead (e.g. VS100 = PS100).

To ensure you find the correct Mechanical Seal or should the type you require not be listed, please consult Vulcan.

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS100	0.625	A	BMFJF
VS100-EPR	0.625	A	QCFJF
VS100-SC-SC	0.625	A	BLFLF
VS100V	0.625	A	VCFJF
VS100V-CMS	0.625	A	VCFJF
VS100V-CMS-A	0.625	A	VCFJF
VS100V-SC-SC-CMS	0.625	A	VLFLF
VS101	0.750	A	BMFJF
VS101V	0.750	A	VCFJF
VS102	0.625	D	BCFKF
VS102V	0.625	D	VCFKF
VS106	0.500	C	BCFKF
VS106-EPR	0.500	C	QCFKF
VS106V	0.500	C	VCFKF
VS108	1.250	E	NCPKP
VS109	0.625	D	BCF-F
VS112	0.750	C	BCFKF
VS112-EPR	0.750	C	QCFKF
VS112V	0.750	C	VCFKF
VS112V-CMS	0.750	C	VCFKF
VS113	0.625	B	BMFJF
VS118V	0.625	C	VCFJF
VS118V-CMS-A	0.625	C	VCFJF
VS118	0.625	C	BCFJF
VS127	1.062	D	BCFKF
VS128	0.750	C	BCFJF
VS129	0.590	D	BCFJF
VS135	0.787	D	BCFJF
VS136	1.181	D	BCFJF
VS136V	1.181	D	VCFJF
VS136V-CMS	1.181	D	VCFJF
VS137	1.250	E	BCFKF
VS137V	1.250	E	VCFKF
VS137V-A	1.250	E	VCFKF
VS137V-CMS	1.250	E	VCFKF
VS137V-TC-TC	1.250	E	VZFZF
VS141	1.000	R	BCF-F
VS142	0.500	B	BMFJF
VS142V	0.500	B	VCFJF
VS145	0.750	K	BCF-F
VS147	1.750	D	BCF-F
VS147-EPR-A	1.750	D	QCF-F
VS150	0.500	B	BMF-F
VS151	0.625	B	BMFJF

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS153	0.625	A	BMFKF
VS153V	0.625	A	VCFKF
VS153V-CMS	0.625	A	VCFKF
VS154	1.250	C	BCF-F
VS157	0.750	C	BCF-F
VS159	1.000	D	NCPGP
VS162	0.500	A	BMFJF
VS163	0.500	B	BMFJF
VS163V	0.500	B	VCFJF
VS164	0.500	B	BMFKF
VS165	0.500	B	BMFJF
VS166	0.625	A	BMFJF
VS169	1.250	K	BCF-F
VS172	1.375	C	BCF-F
VS172V	1.375	C	VCF-F
VS172V-SC	1.375	C	VLF-F
VS175	0.750	K	BCFJF
VS177	1.375	C	BCFJF
VS177-A	1.375	C	BCFJF
VS177-EPR	1.375	C	QCFJF
VS177-SC-TC-CMS	1.375	C	BLFZF
VS177V	1.375	C	VCFJF
VS177V-A	1.375	C	VCFJF
VS177V-CMS	1.375	C	VCFJF
VS177V-CMS-A	1.375	C	VCFJF
VS177V-SC-SC	1.375	C	VLFLF
VS177V-SC-SEAT	1.375	C	VCFLF
VS178	1.375	R	BCFJF
VS185	1.250	C	BCFJF
VS185-A	1.250	C	BCFJF
VS185-EPR	1.250	C	QCFJF
VS185-EPR-A	1.250	C	QCFJF
VS185-EPR-SC	1.250	C	QCFLF
VS185-EPR-TC	1.250	C	QCFZF
VS185E-SC-CMS	1.250	C	QCFLF
VS185-SC-SC	1.250	C	BLFLF
VS185-TC-SEAT	1.250	C	BCFZF
VS185V	1.250	C	VCFJF
VS185V-A	1.250	C	VCFJF
VS185V-CMS	1.250	C	VCFJF
VS185V-CMS-A	1.250	C	VCFJF
VS185V-SC-SC	1.250	C	VLFLF
VS185V-SC-SEAT	1.250	C	VCFLF
VS185V-SC-TC	1.250	C	VLFZF

Embrace Excellence - Vulcan Service, Quality and Value

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing | Expanded PTFE Gasketing

UK/World: +44 (0) 114 249 3333 | USA: +1 952 955 8800 | www.vulcanseals.com | contact@vulcanseals.com



Vulcan Seals

Vulcan vs Seal Number Reference List

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS185V-TC-SC	1.250	C	VZFLF
VS185V-TC-SEAT	1.250	C	VCFZF
VS185V-TC-TC	1.250	C	VZFZF
VS186	1.375	D	BCFKF
VS186-EPR-SC-SEAT	1.375	D	QCFLF
VS186V	1.375	D	VCFKF
VS186V-CMS	1.375	D	VCFKF
VS186V-TC-SEAT	1.375	D	VCFZF
VS188	0.875	E	BCFJF
VS188V	0.875	E	VCFJF
VS188V-CMS	0.875	E	VCFJF
VS192	1.500	C	NCFGF
VS193	2.000	D	NCPGP
VS196	2.000	D	BCF-F
VS197	0.875	K	BCF-F
VS200	0.625	A	BMFJF
VS200-EPR	0.625	A	QCFJF
VS200-SC-SC	0.625	A	BLFLF
VS200V	0.625	A	VCFJF
VS200V-CMS	0.625	A	VCFJF
VS200V-CMS-A	0.625	A	VCFJF
VS200V-SC-SC	0.625	A	VLFLF
VS201	0.750	A	BMFJF
VS201V	0.750	A	VCFJF
VS201V-CMS	0.750	A	VCFJF
VS202	0.625	B	BMFJF
VS202V	0.625	B	VCFJF
VS204	1.125	E	BCFJF
VS204-A	1.125	E	BCFJF
VS204-EPR	1.125	E	QCFJF
VS204V	1.125	E	VCFJF
VS204V-CMS	1.125	E	VCFJF
VS204V-CMS-A	1.125	E	VCFJF
VS205	1.750	E	BCFJF
VS205-A	1.750	E	BCFJF
VS205-SC-SC	1.750	E	BLFLF
VS205V	1.750	E	VCFJF
VS205V-A	1.750	E	VCFJF
VS205V-CMS	1.750	E	VCFJF
VS205V-CMS-A	1.750	E	VCFJF
VS205V-TC-SEAT	1.750	E	VCFZF
VS205V-TC-TC-CM	1.750	E	VZFZF
VS208	0.875	C	BCF-F
VS208V	0.875	C	VCF-F
VS209	1.375	K	BCF-F
VS210	1.375	C	BCFKF
VS210-EPR	1.375	C	QCFKF
VS210-EPR-A-SC	1.375	C	QCFLF
VS210-EPR-SC-SEAT	1.375	C	QCFLF
VS210V	1.375	C	VCFKF

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS210V-CMS	1.375	C	VCFKF
VS210V-SC-SEAT	1.375	C	VCFLF
VS210V-SC-TC	1.375	C	VLZVF
VS210V-TC-SC	1.375	C	VZFLF
VS210V-TC-SEAT	1.375	C	VCFZF
VS210V-TC-TC	1.375	C	VZFZF
VS213	1.750	R	BCF-F
VS215	1.125	K	BCF-F
VS216	1.500	K	BCF-F
VS217	1.750	R	BCFKF
VS218	0.625	A	BCF-F
VS223	1.875	D	BCF-F
VS224	1.500	E	NCFKF
VS226	0.625	D	BCFKF
VS227	1.000	D	BCFKF
VS228	1.250	K	BCFKF
VS228V	1.250	K	VCFKF
VS228V-CMS	1.250	K	VCFKF
VS229	0.875	E	BCFKF
VS235	1.000	C	BCFJF
VS235-A	1.000	C	BCFJF
VS235-EPR	1.000	C	QCFJF
VS235-SC-SC	1.000	C	BLFLF
VS235V	1.000	C	VCFJF
VS235V-A	1.000	C	VCFJF
VS235V-CMS	1.000	C	VCFJF
VS235V-CMS-A	1.000	C	VCFJF
VS235V-SC-SC	1.000	C	VLFLF
VS236	1.000	E	BCFKF
VS236N	1.000	E	NCFKF
VS236V	1.000	E	VCFKF
VS236V-CMS	1.000	E	VCFKF
VS237	1.750	D	BCFJF
VS237-A	1.750	D	BCFJF
VS237-EPR	1.750	D	QCFJF
VS237-SC-SC	1.750	D	BLFLF
VS237-TC-SEAT	1.750	D	BCFZF
VS237-TC-TC	1.750	D	BZFZF
VS237V	1.750	D	VCFJF
VS237V-A	1.750	D	VCFJF
VS237V-CMS	1.750	D	VCFJF
VS238	1.625	C	BCFJF
VS238-A	1.625	C	BCFJF
VS238-EPR	1.625	C	QCFJF
VS238-EPR-SC	1.625	C	QCFLF
VS238-SC-SC	1.625	C	BLFLF
VS238-SC-TC-CMS	1.625	C	BLFZF
VS238V	1.625	C	VCFJF
VS238V-A-TC	1.625	C	VCFZF
VS238V-CMS	1.625	C	VCFJF

Embrace Excellence - Vulcan Service, Quality and Value

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing | Expanded PTFE Gasketing

UK/World: +44 (0) 114 249 3333 | USA: +1 952 955 8800 | www.vulcanseals.com | contact@vulcanseals.com



Vulcan Seals

Vulcan vs Seal Number Reference List

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS238V-SC-CMS	1.625	C	VCFLF
VS238V-SC-SEAT	1.625	C	VCFLF
VS238V-TC-SC-CMS	1.625	C	VZFLF
VS239	1.625	C	BCFKF
VS239-A	1.625	C	BCFKF
VS239-EPR	1.625	C	QCFKF
VS239V	1.625	C	VCFKF
VS239V-CMS	1.625	C	VCFKF
VS239V-TC-SEAT	1.625	C	VCFZF
VS246	1.250	C	BCFJF
VS250	0.875	D	BCFKF
VS251	1.000	E	BCFKF
VS252	1.000	D	BCFKF
VS252-A	1.000	D	BCFKF
VS252-EPR	1.000	D	QCFKF
VS253	1.125	E	BCFKF
VS254	1.125	D	BCFKF
VS256	1.250	E	BCFKF
VS256V-CMS	1.250	E	VCFKF
VS257	1.375	E	BCFKF
VS257E-SC-SC-CMS	1.375	E	QLFLF
VS257V	1.375	E	VCFKF
VS258	1.500	E	BCFKF
VS258-TC-SC	1.500	E	BZFLF
VS258V-A	1.500	E	VCFKF
VS259	1.500	E	BCFKF
VS259-EPR-CMS-SC	1.500	E	QCFLF
VS262	1.750	E	BCFKF
VS262-EPR-A	1.750	E	QCFKF
VS263	0.625	D	BCFKF
VS264-TC-A	1.250	E	VLFZF
VS264	1.250	E	BCFKF
VS264V-SC-SC	1.250	E	VLFLF
VS265	0.750	D	BCFKF
VS267	2.000	C	BCFJF
VS267-A	2.000	C	BCFJF
VS267-EPR	2.000	C	QCFJF
VS267-SC-SC-CMS	2.000	C	BLFLF
VS267-SC-TC-SEAT	2.000	C	BLFZF
VS267-TC-SEAT	2.000	C	BCFZF
VS267V	2.000	C	VCFJF
VS267V-CMS	2.000	C	VCFJF
VS267V-CMS-A	2.000	C	VCFJF
VS267V-SC-SC	2.000	C	VLFLF
VS267V-SC-TC-CMS	2.000	C	VLFZF
VS267V-TC-SEAT	2.000	C	VCFZF
VS268	2.375	C	BCFJF
VS268-A	2.375	C	BCFJF
VS268-CMS	2.375	C	BCFJF
VS268-CMS-A	2.375	C	BCFJF

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS268V	2.375	C	VCFJF
VS269	2.500	C	BCFJF
VS269V	2.500	C	VCFJF
VS270	2.875	C	BCFJF
VS272	3.750	C	BCFJF
VS274	0.625	E	BCFJF
VS275	0.750	C	BCFJF
VS276	1.000	T	BCFJF
VS277	1.000	T	BCFKF
VS278	2.375	E	BCFJF
VS278V	2.375	E	VCFJF
VS279	2.500	E	BCFJF
VS281	1.625	R	BCFKF
VS282	1.125	U	BCFKF
VS283	1.500	D	BCFJF
VS284	3.000	R	BCFKF
VS288	1.750	D	BCFKF
VS288V	1.750	D	VCFKF
VS290	0.625	C	BCFJF
VS290V	0.625	C	VCFJF
VS294	0.875	C	BCFKF
VS298	0.500	A	BMF-F
VS299	0.625	A	BMF-F
VS300	0.625	A	BMFJF
VS301	0.750	A	BMFJF
VS303	0.875	D	BCFKF
VS303V	0.875	D	VCFKF
VS305	1.500	E	BCFJF
VS305-EPR	1.500	E	QCFJF
VS305V	1.500	E	VCFJF
VS309	0.875	C	BCFJF
VS309V	0.875	C	VCFJF
VS309V-CMS	0.875	C	VCFJF
VS312	1.875	C	BCFKF
VS312V	1.875	C	VCFKF
VS319	2.000	E	BCFJF
VS321	2.750	E	VCFKF
VS323	2.250	E	BCFJF
VS324	3.000	E	BCFJF
VS327	2.125	E	BCFJF
VS328	2.625	E	BCFJF
VS329	2.875	E	BCFJF
VS332	2.000	C	BCFKF
VS338	2.125	C	BCFJF
VS338-EPR	2.125	C	QCFJF
VS338V	2.125	C	VCFJF
VS338V-SC-SC	2.125	C	VLFLF
VS340	1.875	C	BCFJF
VS340-TC-SC	1.875	C	BZFLF
VS340-TC-TC	1.875	C	BZFZF

Embrace Excellence - Vulcan Service, Quality and Value

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing | Expanded PTFE Gasketing

UK/World: +44 (0) 114 249 3333 | USA: +1 952 955 8800 | www.vulcanseals.com | contact@vulcanseals.com



Vulcan Seals

Vulcan vs Seal Number Reference List

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS340V	1.875	C	VCFJF
VS342	2.000	E	NCPKP
VS347	1.500	C	BCFJF
VS348	1.125	C	BCF-F
VS348V	1.125	C	VCF-F
VS349	2.500	E	BCFKF
VS349V	2.500	E	VCFKF
VS350	2.375	E	BCFKF
VS350-CMS	2.375	E	BCFKF
VS351	2.250	E	BCFKF
VS351V	2.250	E	VCFKF
VS353	2.125	E	BCFKF
VS354	1.375	E	BCFJF
VS355	1.125	C	BCFKF
VS355-SC-SC	1.125	C	BLFLF
VS355V	1.125	C	VCFKF
VS356	1.125	C	BCFJF
VS356-EPR	1.125	C	QCFJF
VS356-SC-TC	1.125	C	BLFZF
VS356V	1.125	C	VCFJF
VS357	1.000	C	BCFKF
VS357V-CMS	1.000	C	VCFKF
VS358	0.750	C	BCFJF
VS358V	0.750	C	VCFJF
VS358V-CMS	0.750	C	VCFJF
VS359	0.625	C	BCFJF
VS359-EPR-CMS	0.625	C	QCFJF
VS359V	0.625	C	VCFJF
VS359V-CMS	0.625	C	VCFJF
VS360	1.000	A	BCFJF
VS360V	1.000	A	VCFJF
VS360V-CMS	1.000	A	VCFJF
VS361	1.250	E	BCFJF
VS361-EPR	1.250	E	QCFJF
VS361V-CMS	1.250	E	VCFJF
VS366	1.750	E	BCFKF
VS366-TC-TC	1.750	E	BZFZF
VS366V-CMS	1.750	E	VCFKF
VS370	1.000	A	BCFKF
VS371	1.500	D	BCFKF
VS371V-CMS	1.500	D	VCFKF
VS374	1.500	E	BCFKF
VS374V	1.500	E	VCFKF
VS376	1.375	D	BCF-F
VS380	1.000	D	BCFJF
VS380V-CMS	1.000	D	VCFJF
VS381	1.250	D	BCFJF
VS381-SC-SC	1.250	D	BLFLF
VS381V	1.250	D	VCFJF
VS382	1.500	D	BCFJF

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS383	1.250	D	BCFKF
VS383V	1.250	D	VCFKF
VS384	1.125	E	BCFKF
VS392	0.500	C	B/QMFJF
VS393	0.500	C	BMFKF
VS395	1.500	E	BCFJF
VS395-EPR	1.500	E	QCFJF
VS397	1.000	C	BCF-F
VS399	0.750	D	BCF-F
VS400	0.500	C	BMF-F
VS401	0.500	C	BCF-F
VS416	1.250	D	BCF-F
VS436	1.750	C	BCFKF
VS436-EPR	1.750	C	QCFKF
VS436-SC-SC	1.750	C	BLFLF
VS436V	1.750	C	VCFKF
VS440	0.750	B	BMFJF
VS445	2.000	D	BCFJF
VS445V-CMS	2.000	D	VCFJF
VS446	1.750	C	BCFJF
VS446-EPR	1.750	C	QCFJF
VS446-SC-SC	1.750	C	BLFLF
VS446-TC-TC	1.750	C	BZFZF
VS446V-CMS	1.750	C	VCFJF
VS448	1.750	C	BCFKF
VS448V-CMS	1.750	C	VCFKF
VS449	1.750	K	BCFJF
VS460	1.000	D	BCFKF
VS460V-CMS	1.000	D	VCFKF
VS461	1.625	D	BCFKF
VS461V	1.625	D	VCFKF
VS462	2.000	D	BCFKF
VS462V	2.000	D	VCFKF
VS463	2.500	D	BCFKF
VS463-TC-SC	2.500	D	BZFLF
VS463V	2.500	D	VCFKF
VS464	2.750	D	BCFKF
VS465	3.000	D	BCFKF
VS466	1.250	C	BCFJF
VS466V	1.250	C	VCFJF
VS468	2.500	D	BCFJF
VS469	2.500	D	BCFKF
VS475	3.000	E	BCFKF
VS477	2.000	E	BCFKF
VS477-EPR	2.000	E	QCFKF
VS477V	2.000	E	VCFKF
VS479	2.000	E	BCFJF
VS479V	2.000	E	VCFJF
VS483	2.750	C	BCFKF
VS483V-TC-SEAT	2.750	C	VCFZF

Embrace Excellence - Vulcan Service, Quality and Value

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing | Expanded PTFE Gasketing

UK/World: +44 (0) 114 249 3333 | USA: +1 952 955 8800 | www.vulcanseals.com | contact@vulcanseals.com



Vulcan Seals

Vulcan vs Seal Number Reference List

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS487	0.625	E	BCFKF
VS491	1.375	D	BCFJF
VS491V	1.375	D	VCFJF
VS492	2.375	C	BCFKF
VS492-CMS	2.375	C	BCFKF
VS493	0.625	C	BCFKF
VS498	1.062	E	BCFKF
VS499	1.000	C	BCFKF
VS499-EPR	1.000	C	QCFKF
VS501	0.625	A	BMFJF
VS506	0.500	A	BMFKF
VS507	0.625	A	0
VS507V-CMS	0.625	A	VCFKF
VS508	0.625	D	BCFJF
VS508V	0.625	D	VCFJF
VS510	1.250	D	BCFJF
VA513V	1.875	E	VCF-F
VS513	1.875	E	BCFKF
VS514	1.625	D	BCFJF
VS514V	1.625	D	VCFJF
VS515	1.500	E	BCFJF
VS516	0.625	A	BCFJF
VS517	1.250	D	BCFKF
VS521	1.125	D	BCFKF
VS524	0.625	A	BCFKF
VS524-EPR	0.625	A	QCFKF
VS525	1.250	C	BCFKF
VS529	1.125	C	BCFKF
VS530	2.000	E	BCFJF
VS532	2.000	C	BCFJF
VS534	1.500	D	BCFKF
VS535	1.750	E	BCFJF
VS537	2.125	E	BCFJF
VS541	1.500	K	BCFJF
VS542	2.625	E	BCFKF
VS543	2.125	C	BCFKF
VS543V	2.125	C	VCFKF
VS544	1.625	C	BCFKF
VS544V-SC-SC	1.625	C	VLFLF
VS546	1.250	E	BCFJF
VS547	1.375	C	BCFKF
VS548	1.000	C	BCFJF
VS550	1.750	C	BCFJF
VS552	0.625	C	BCFJF
VS552-EPR	0.625	C	QCFJF
VS553	1.500	C	BCFKF
VS557	1.000	E	VCFJF
VS578	0.875	D	BCF-F
VS588	1.125	C	BCFKF
VS593	1.875	D	BCFKF

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS594	2.375	D	BCFKF
VS595	1.625	E	BCFJF
VS598	1.250	C	BCFKF
VS598-EPR	1.250	C	QCFKF
VS598-SC-SC	1.250	C	BLFLF
VS598-TC-SEAT	1.250	C	BCFZF
VS600	0.625	B	BMFJF
VS601	0.750	B	BMFJF
VS601V-CMS	0.750	B	VCFJF
VS604	1.125	D	BCFJF
VS604-EPR	1.125	D	QCFJF
VS605	1.125	D	BCFKF
VS605V	1.125	D	VCFKF
VS606	0.750	B	BMFKF
VS607	1.125	E	BCF-F
VS614	0.787	D	BCFKF
VS614V	0.787	D	VCFKF
VS617	0.875	C	BCFKF
VS618	1.250	C	BCFJF
VS618-TC-TC	1.250	C	BZFZF
VS618V-TC-SEAT	1.250	C	VCFZF
VS628	0.625	A	BMFKF
VS631	0.500	C	BCFJF
VS632	0.500	C	BCFKF
VS633	0.625	C	BCFKF
VS633-EPR-CMS	0.625	C	QCFKF
VS633V	0.625	C	VCFKF
VS637	0.625	A	BMFJF
VS642	0.625	B	BMF-F
VS647	0.750	B	BMF-F
VS659	1.500	C	BCFKF
VS659-TC	1.500	C	BCFZF
VS659V-CMS	1.500	C	VCFKF
VS677	1.375	E	BCFKF
VS677V	1.375	E	VCFKF
VS687	0.875	C	BCFKF
VS687V	0.875	C	VCFKF
VS687V-CMS	0.875	C	VCFKF
VS703	0.875	D	BCFJF
VS703V	0.875	D	VCFJF
VS703V-CMS	0.875	D	VCFJF
VS710	1.062	E	BCFJF
VS712	0.625	B	BMFKF
VS715	0.625	B	BMFJF
VS719	1.770	E	BCFKF
VS722	1.770	E	BCFJF
VS732	0.625	C	BCFKF
VS734	0.625	D	BCFKF
VS735	0.625	D	BCFJF
VS738	0.625	E	BCFV/KF

Embrace Excellence - Vulcan Service, Quality and Value

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing | Expanded PTFE Gasketing

UK/World: +44 (0) 114 249 3333 | USA: +1 952 955 8800 | www.vulcanseals.com | contact@vulcanseals.com



Vulcan Seals

Vulcan vs Seal Number Reference List

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS739	0.625	E	BCFJF
VS744	1.625	E	BCFKF
VS744V	1.625	E	VCFKF
VS745	1.625	E	BCFJF
VS745V-CMS	1.625	E	VCFJF
VS750	0.750	D	BCFJF
VS750V-CMS	0.750	D	VCFJF
VS752	0.750	D	BCFKF
VS752V	0.750	D	VCFKF
VS754	1.000	E	BCFJF
VS754V	1.000	E	VCFJF
VS754V-CMS	1.000	E	VCFJF
VS756	1.250	C	BCFKF
VS756-EPR	1.250	C	QCFKF
VS756V	1.250	C	VCFKF
VS758	1.500	C	BCFJF
VS758-EPR	1.500	C	QCFJF
VS758V	1.500	C	VCFJF
VS758V-CMS	1.500	C	VCFJF
VS758V-SC-SC	1.500	C	VLFLF
VS760	0.750	A	BMFJF
VS761	3.000	D	BCFJF
VS762	0.750	A	BMFKF
VS764	0.750	A	BCFJF
VS765	0.750	B	BMFJF
VS766	0.750	B	BMFKF
VS767	0.750	C	VCFJF
VS768	0.750	C	BCFKF
VS771	0.750	C	BCFJF
VS773	0.750	C	BCFKF
VS774	0.875	C	BCFJF
VS775	0.875	D	BCFJF
VS776	0.875	E	BCFJF
VS777	1.000	A	BCFJF
VS778	1.000	A	BCFKF
VS788	0.500	B	BMFKF
VS790	0.875	D	BCFJF
VS791	1.000	E	BCFKF
VS797	1.062	D	BCFJF
VS798	1.062	E	BCFJF
VS799	1.062	E	BCFKF
VS800	0.625	C	BMFJF
VS801	1.125	C	VCFJF
VS802	1.125	D	BCFJF
VS804	1.250	D	BCFJF
VS805	1.375	C	BCFJF
VS806	1.375	D	BCFJF
VS807	1.375	D	BCFKF
VS816	1.500	C	BCFJF
VS817	1.500	D	BCFJF

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS818	1.625	C	BCFJF
VS819	1.625	D	BCFKF
VS821	1.625	D	BCFJF
VS822	1.625	E	BCFKF
VS825	1.750	D	BCFKF
VS826	1.750	D	BCFJF
VS828	1.875	D	BCFJF
VS832	2.000	D	BCFKF
VS833	2.000	D	BCFJF
VS834	2.375	D	BCFJF
VS835	2.500	D	BCFJF
VS836	2.750	C	BCFJF
VS836-CMS	2.750	C	BCFJF
VS837	2.750	D	BCFJF
VS838	2.750	E	VCFJF
VS841	2.875	E	BCFKF
VS842	2.000	C	BCFKF
VS842-TC-SEAT	N/A	C	BCFZF
VS843	2.000	E	BCFKF
VS844	2.125	C	BCFJF
VS846	2.250	D	BCFJF
VS847	2.250	D	BCFKF
VS848	2.250	E	BCFJF
VS849	2.250	E	BCFKF
VS851	0.750	A	BCFJF
VS853	2.500	C	BCFKF
VS854	2.125	C	BCFJF
VS855	2.125	C	BCFKF
VS856	2.125	E	BCFJF
VS857	2.125	E	BCFKF
VS859-TC-SEAT	1.750	E	BCFZF
VS864	1.375	E	BCFJF
VS865	1.375	E	BCFKF
VS866	1.125	E	BCFJF
VS867	1.125	E	BCFKF
VS867-EPR	1.125	E	QCFKF
VS867V	1.125	E	VCFKF
VS874	2.250	D	BCFJF
VS877	0.750	C	BCFJF
VS882	0.625	B	BCF-F
VS887	2.125	K	BCFJF
VS921	0.750	A	BMFKF
VS926	1.500	C	BCFJF
VS933	0.625	C	BCF-F
VS935	0.875	E	BCFKF
VS936	0.875	E	BCF-F
VS937	1.000	E	BCF-F
VS939	1.500	D	BCF-F
VS941	2.250	D	BCFKF
VS941V	2.250	D	VCFKF

Embrace Excellence - Vulcan Service, Quality and Value

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing | Expanded PTFE Gasketing

UK/World: +44 (0) 114 249 3333 | USA: +1 952 955 8800 | www.vulcanseals.com | contact@vulcanseals.com



Vulcan Seals

Vulcan vs Seal Number Reference List

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS942	2.250	D	BCF-F
VS957	0.625	A	BCFJF
VS961	0.625	B	BCFJF
VS964	0.625	B	BCFKF
VS973	0.750	A	BCFKF
VS974	0.750	A	BCF-F
VS975	1.000	A	BCF-F
VS976	1.250	D	BCFJF
VS977	1.250	D	BCFKF
VS978	1.250	C	BCFJF
VS978V	1.250	C	VCFJF
VS979	1.250	C	BCFKF
VS981	1.250	D	BCFKF
VS1000	0.625	B	BMFJF
VS1000V	0.625	B	VCFJF
VS1000V-CMS	0.625	B	VCFJF
VS1002	0.500	C	BCFJF
VS1002-A	0.500	C	BCFJF
VS1002-EPR	0.500	C	QCFJF
VS1002V	0.500	C	VCFJF
VS1005A	0.625	B	BMFKF
VS1012	0.500	C	B/QCFJF
VS1012V	0.500	C	VCFJF
VS1015	1.250	E	BCF-F
VS1017	2.000	C	BCFKF
VS1017-TC-SEAT	2.000	C	BCFZF
VS1018	1.250	C	BCFKF
VS1018-A	1.250	C	BCFKF
VS1018-CMS	1.250	C	BCFKF
VS1018-EPR	1.250	C	QCFKF
VS1018-EPR-A	1.250	C	QCFKF
VS1018-SC-SC	1.250	C	BLFLF
VS1018V	1.250	C	VCFKF
VS1019	1.625	C	BCFKF
VS1019-CMS	1.625	C	BCFKF
VS1019-CMS-A	1.625	C	BCFKF
VS1019-SC-SC	1.625	C	BLFLF
VS1019-TC-SEAT	1.625	C	VCFZF
VS1019V	1.625	C	VCFKF
VS1019V-A	1.625	C	VCFKF
VS1019V-SC-SC	1.625	C	VLFLF
VS1020	2.000	C	BCFKF
VS1020-EPR-A	2.000	C	QCFKF
VS1020V	2.000	C	VCFKF
VS1026	0.750	D	BCFKF
VS1028	2.000	C	BCFKF
VS1040	2.000	K	BCFKF
VS1041	2.375	K	BCFKF
VS1042	1.750	U	BCFJF
VS1043	0.500	C	BMFJF

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS1045	0.625	C	VCFJF
VS1050	0.500	C	BCF-F
VS1053	1.250	C	VCFKF
VS1055	1.750	C	BCF-F
VS1056	1.750	C	BCFKF
VS1056V	1.750	C	VCFKF
VS1056V-SC-SEAT	1.750	C	VCFLF
VS1057	2.125	C	VCFKF
VS1060V	3.000	E	VCFKF
VS1062	1.375	C	VCFKF
VS1065	0.375	C	BCFJF
VS1067	1.125	E	BCFKF
VS1068	1.750	C	BCFKF
VS1070	1.750	U	BCFJF
VS1078	1.750	E	BCFJF
VS1078V	1.750	E	VCFJF
VS1079	0.625	C	NCFJF
VS1080	0.625	C	NCFKF
VS1081	1.250	C	NCFJF
VS1082	1.250	C	NCFKF
VS1083	1.250	C	NCFJF
VS1084	1.250	C	NCFKF
VS1086	1.000	A	BCFJF
VS1087	2.250	C	BCFJF
VS1087V-CMS	2.250	C	VCFJF
VS1087V-SC-TC-CMS	2.250	C	VLZFZ
VS1089	0.625	B	VCFJF
VS1091	0.625	C	VCFJF
VS1092	0.750	C	VCFKF
VS1092-TC-TC	0.750	C	VZFZF
VS1093	0.750	C	VCFJF
VS1094	1.000	C	VCFJF
VS1094-A	1.000	C	VCFJF
VS1094-EPR	1.000	C	QCFJF
VS1095	1.000	C	BCF-F
VS1097	1.875	D	BCFKF
VS1098	0.500	B	BMFJF
VS1109	1.250	C	BCFKF
VS1109-A	1.250	C	BCFKF
VS1109-CER	1.250	C	BCFJF
VS1109-EPR	1.250	C	QCFKF
VS1109-SC-TC	1.250	C	BLZFZ
VS1109-TC-TC	1.250	C	BZFZF
VS1109V	1.250	C	VCFKF
VS1109V-SC-SEAT	1.250	C	VCFLF
VS1110	1.500	C	BCFKF
VS1110V	1.500	C	VCFKF
VS1113	0.750	C	BCFKF
VS1118	1.250	K	B/HCFJF
VS1119	0.625	C	BCFJF

Embrace Excellence - Vulcan Service, Quality and Value

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing | Expanded PTFE Gasketing

UK/World: +44 (0) 114 249 3333 | USA: +1 952 955 8800 | www.vulcanseals.com | contact@vulcanseals.com



Vulcan Seals

Vulcan vs Seal Number Reference List

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS1119V	0.625	C	VCFJF
VS1120	0.500	C	BCFJF
VS1123	1.000	C	BCFKF
VS1123-TC-TC	1.000	C	BZFZF
VS1125	0.750	C	BCFJF
VS1125-A	0.750	C	BCFJF
VS1125-EPR	0.750	C	QCFJF
VS1125-SC-SC	0.750	C	BLFLF
VS1128	1.250	D	NCPKF
VS1133	0.437	C	BCFJF
VS1142	1.750	K	BCFJ/KF
VS1145	2.000	C	VCFKF
VS1150	0.625	A	BMFKF
VS1152	0.625	B	BMFKF
VS1154	0.625	C	BCFKF
VS1155	0.625	C	BCFJF
VS1156	0.625	C	BCFKF
VS1156V	0.625	C	VCFKF
VS1158	0.625	E	BCFKF
VS1160	0.750	C	BCFKF
VS1161	0.750	D	BCFJF
VS1162	0.750	D	BCFJF
VS1163	0.875	C	BCFJF
VS1167	1.125	C	BCFKF
VS1172	1.125	E	BCFJF
VS1172V	1.125	E	VCFJF
VS1173	1.125	E	BCFKF
VS1176	1.125	K	BCFJF
VS1177	1.125	K	BCFKF
VS1178	1.125	T	BCFJF
VS1179	1.181	D	BCFKF
VS1179-A	1.181	D	BCFKF
VS1179V	1.181	D	VCFKF
VS1179V-A	1.181	D	VCFKF
VS1183-A	1.250	E	BCFKF
VS1185	1.250	E	NCPJP
VS1186	1.250	E	BCFKF
VS1187	1.250	T	BCFJF
VS1195	1.625	K	BCFJF
VS1196-EPR	1.750	E	QCFJF
VS1197	1.750	K	BCFKF
VS1199	1.750	U	BCFKF
VS1510	0.750	C	BCFJF
VS1510V	0.750	C	VCFJF
VS1514	0.750	C	BCFJF
VS1514V	0.750	C	VCFJF
VS1522	0.750	A	BMF-F
VS1525	0.750	A	BMFJF
VS1604	0.750	K	BCFJF
VS1608	1.875	C	BCFKF

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS1608V-CMS	1.875	C	VCFKF
VS1609	2.000	E	BCFKF
VS1610	2.000	R	BCFJF
VS1612	2.125	E	BCFKF
VS1612V	2.125	E	VCFKF
VS1613	2.500	K	BCFJF
VS1618	0.625	C	BCFJF
VS1622	0.750	B	BMFJF
VS1622V	0.750	B	VMFJF
VS1623	1.250	K	BCFJ/KF
VS1625	0.625	C	BCFKF
VS1625-CMS	0.625	C	BCFKF
VS1626	0.625	C	VCFKF
VS1626-CMS	0.625	C	VCFKF
VS1630	1.000	D	BCPKF
VS1631	1.000	T	NCPKF
VS1632V	1.250	D	VCPKF
VS1636	1.125	E	VCFJF
VS1637	1.125	E	VCFKF
VS1639V	1.125	E	VCFKF
VS1646	1.500	E	VCFZF
VS1647	1.500	E	VCFJF
VS1648	1.500	E	VCFKF
VS1651	1.500	E	VCFJF
VS1652	1.500	E	VCFKF
VS1653	1.875	T	VCFJF
VS1659	1.875	E	VCFJF
VS1659V-CMS	1.875	E	VCFJF
VS1660	1.875	E	VCFKF
VS1661	1.875	E	VCFZF
VS1664	1.875	E	VCFJF
VS1667	1.375	C	BCFKF
VS1667-EPR	1.375	C	QCFKF
VS1667V	1.375	C	VCFKF
VS1668	1.125	E	BCFZF
VS1674	1.750	C	BCFKF
VS1674-EPR-A	1.750	C	QCFKF
VS1674-SC-SEAT	1.750	C	BCFLF
VS1674-TC-SEAT	1.750	C	BCFZF
VS1674V-TC-TC-CM	1.750	C	VZFZF
VS1675	0.590	D	BCFKF
VS1676-TC-SEAT	2.250	C	VCFZF
VS1676	2.250	C	BCFKF
VS1676-EPR-A	2.250	C	QCFKF
VS1676V	2.250	C	VCFKF
VS1676V-TC-SEAT	2.250	C	VCFZF
VS1677	2.375	C	BCFKF
VS1677V	2.375	C	VCFKF
VS1678	2.250	C	BCFJF
VS1678V	2.250	C	VCFJF

Embrace Excellence - Vulcan Service, Quality and Value

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing | Expanded PTFE Gasketing

UK/World: +44 (0) 114 249 3333 | USA: +1 952 955 8800 | www.vulcanseals.com | contact@vulcanseals.com



Vulcan Seals

Vulcan vs Seal Number Reference List

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS1679	2.250	C	BCFJF
VS1679-A	2.250	C	BCFJF
VS1679-EPR-A	2.250	C	QCFJF
VS1679V-CMS	2.250	C	VCFJF
VS1680	2.250	C	BCFKF
VS1680-A	2.250	C	BCFKF
VS1680-TC-TC	2.250	C	BZFZF
VS1680V	2.250	C	VCFKF
VS1681	0.875	D	BCFKF
VS1681V	0.875	D	VCFKF
VS1683	1.625	E	BCFJF
VS1683-A	1.625	E	BCFJF
VS1683V	1.625	E	VCFJF
VS1684	1.750	E	BCFJF
VS1686	2.125	D	BCFJF
VS1687	2.125	D	BCFKF
VS1688	2.250	E	BCFJF
VS1691	1.500	E	VCFKF
VS1692	1.500	E	VCFZF
VS1693	1.875	K	BCFKF
VS1694	2.375	K	BCFJF
VS1695	2.500	K	BCFKF
VS1696-CMS	3.000	C	BCFJF
VS1697	1.625	D	BCFKF
VS1697-TC-SEAT	1.625	D	BCFZF
VS1698	1.625	D	BCFJF
VS1699	1.625	E	BCFKF
VS1699V	1.625	E	VCFKF
VS1699V-SC-TC	1.625	E	VLZFZ
VS1699V-TC-A	1.625	E	VCFZF
VS1754	0.750	C	BCFJF
VS1850	1.500	C	BCF-F
VS1875	1.875	C	BCF-F
VS1900	0.625	G	VLFLF
VS1901	0.625	G	VLFLF
VS1902	0.750	G	VLFLF
VS1903	0.625	A	VLFLF
VS1904	0.750	B	VLFLF
VS1905	0.625	B	VLFLF
VS1908	0.750	A	VLFLF
VS1909	1.000	G	VLFLF
VS1912	0.625	G	VLFLF
VA2000	2.000	C	BCF-F
VS2000	0.625	D	BCFJF
VS2000V-CMS	0.625	D	VCFJF
VS2002	0.625	D	BCFJF
VS2004	0.625	D	BCFJF
VS2007	0.625	D	BCFKF
VS2008	0.750	D	BCFJF
VS2009	0.750	D	BCFKF

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS2010	0.750	D	BCFJF
VS2014	0.750	E	VCFJF
VS2015	0.625	E	BCFKF
VS2016	0.625	E	BCFJF
VS2017	0.625	E	BCFKF
VS2020	0.625	E	BCFJF
VS2021	0.625	E	BCFKF
VS2022	0.625	E	BCFJF
VS2023	0.625	E	BCFKF
VS2024	0.875	D	BCFJF
VS2026	0.875	D	VCFJF
VS2027	0.875	D	BCFKF
VS2027V	0.875	D	VCFKF
VS2029	0.875	E	BCFKF
VS2033	1.000	D	BCFJF
VS2045	1.375	D	BCFJF
VS2046	1.375	D	BCFKF
VS2047	1.375	D	BCFJF
VS2047V	1.375	D	VCFJF
VS2048	1.375	D	BCFKF
VS2055	1.625	D	BCFJF
VS2055V-CMS	1.625	D	VCFJF
VS2056	1.625	D	BCFKF
VS2057	1.625	E	BCFJF
VS2058	1.625	E	BCFKF
VS2058V-TC-SEAT	1.625	E	VCFZF
VS2059	1.750	D	BCFJF
VS2059V	1.750	D	VCFJF
VS2060	1.750	D	BCFKF
VS2060-TC-TC	1.750	D	BZFZF
VS2061	1.750	D	BCFJF
VS2061-SC-SEAT	1.750	D	BCFLF
VS2062	1.750	D	BCFKF
VS2069	1.875	E	BCFJF
VS2069-TC-SEAT	1.875	E	BCFZF
VS2070	1.875	E	BCFKF
VS2071	1.875	E	BCFJF
VS2072	1.875	E	BCFKF
VS2072-TC-TC	1.875	E	BZFZF
VS2073	2.000	D	BCFJF
VS2073V-SC-TC-CMS	2.000	D	VLZFZ
VS2075	2.000	D	BCFJF
VS2076	2.000	D	BCFKF
VS2086	2.125	E	BCFKF
VS2087	2.250	D	BCFJF
VS2088	2.250	D	BCFKF
VS2089	2.250	D	BCFJF
VS2090	2.250	D	BCFKF
VS2091	2.250	E	BCFJF
VS2092	2.250	E	BCFKF

Embrace Excellence - Vulcan Service, Quality and Value

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing | Expanded PTFE Gasketing

UK/World: +44 (0) 114 249 3333 | USA: +1 952 955 8800 | www.vulcanseals.com | contact@vulcanseals.com



Vulcan Seals

Vulcan vs Seal Number Reference List

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS2093	2.125	D	BCFJF
VS2094	2.250	E	BCFKF
VS2094V	2.250	E	VCFKF
VS2095	2.375	D	BCFKF
VS2097-CMS	2.375	E	BCFJF
VS2098V	2.375	E	VCFKF
VS2104	1.375	E	BCF-F
VS2104V	1.375	E	VCF-F
VS2106	1.500	E	BCF-F
VS2106V	1.500	E	VCF-F
VS2107	1.625	C	BCF-F
VS2108	1.750	C	BCF-F
VS2108-EPR-A	1.750	C	QCF-F
VS2109	1.750	E	BCF-F
VS2109-A	1.750	E	BCF-F
VS2109-AFLAS	1.750	E	XCF-F
VS2114	1.875	C	BCFJF
VS2115	3.000	C	BCFKF
VS2115-TC-SEAT	3.000	C	BCFZF
VS2116	3.000	C	BCFJF
VS2116-SC-SC	3.000	C	BLFLF
VS2117	1.500	E	BCFJF
VA2120	2.125	C	BCF-F
VS2120	2.500	C	BCFJF
VS2122	1.250	C	BCFJF
VS2122-A	1.250	C	BCFJF
VS2122V	1.250	C	VCFJF
VS2122V-CMS	1.250	C	VCFJF
VS2123	1.250	C	BCFKF
VS2123-A	1.250	C	BCFKF
VS2123V-CMS	1.250	C	VCFKF
VS2126	2.125	T	BCFJF
VS2128	1.250	E	BCFJF
VS2129	1.250	E	BCFKF
VS2129V	1.250	E	VCFKF
VS2130	1.750	E	BCFJF
VS2130-CMS	1.750	E	BCFJF
VS2132	2.250	T	BCFJF
VS2133	2.000	C	BCFJF
VS2133-A	2.000	C	BCFJF
VS2134	1.375	C	BCFJF
VS2134-A	1.375	C	BCFJF
VS2134V-CMS-A	1.375	C	VCFJF
VS2135	1.750	C	BCFJF
VS2135-A	1.750	C	BCFJF
VS2135-SC-SC	1.750	C	BLFLF
VS2135V-CMS	1.750	C	VCFJF
VS2137	1.500	E	BCFKF
VS2139	2.000	C	BCFJF
VS2141	3.000	K	BCFKF

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS2142	1.750	C	BCFJF
VS2142-A	1.750	C	BCFJF
VS2143	2.000	K	BCFJF
VS2144	1.750	T	BCFJF
VS2145	1.000	C	BCFJF
VS2148	2.750	K	BCFJF
VS2150	1.750	C	BCFJF
VS2151	1.750	C	BCFKF
VS2151-EPR-A	1.750	C	QCFKF
VS2151V	1.750	C	VCFKF
VS2151V-TC-SEAT	1.750	C	VCFZF
VS2152V	2.750	C	VCFKF
VS2153	3.000	C	BCFJF
VS2153-CMS	3.000	C	BCFJF
VS2153-SC-SC-CMS	3.000	C	BLFLF
VS2153-TC-CMS	3.000	C	BCFZF
VS2153V-TC-TC	3.000	C	VZFZF
VS2154-TC-SEAT	2.750	C	VCFZF
VS2154	2.750	C	BCFJF
VS2154-SC-TC-CMS	2.750	C	BLFZF
VS2154-TC-CMS	2.750	C	BCFZF
VS2154V-TC-TC	2.750	C	VZFZF
VS2155	1.062	C	BCFKF
VS2157	1.750	U	BCF/FKF
VS2158	2.500	K	BCFJF
VS2158-TC-TC	2.500	K	BZFZF
VS2160	0.625	C	BCFJF
VS2160V-CMS	0.625	C	VCFJF
VS2161	0.625	B	BMFJF
VS2162	1.187	C	BCFKF
VS2163	1.000	C	BCFKF
VS2164	1.000	D	BCFJF
VS2166	0.875	C	BCFJF
VS2166-EPR	0.875	C	QCFJF
VS2166V	0.875	C	VCFJF
VS2167	0.875	C	BCFJF
VS2167-EPR-A	0.875	C	QCFJF
VS2167V	0.875	C	VCFJF
VS2168	0.875	C	BCFKF
VS2168-EPR	0.875	C	QCFKF
VS2168V	0.875	C	VCFKF
VS2169	0.875	C	BCFKF
VS2169V	0.875	C	VCFKF
VS2170	1.750	U	BCFJF
VS2200	1.250	C	VCFKF
VS2201	1.625	C	QCFKF
VS2202	1.625	C	BCFJF
VS2202-A	1.625	C	BCFJF
VS2202-CMS	1.625	C	BCFJF
VS2202V	1.625	C	VCFJF

Embrace Excellence - Vulcan Service, Quality and Value

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing | Expanded PTFE Gasketing

UK/World: +44 (0) 114 249 3333 | USA: +1 952 955 8800 | www.vulcanseals.com | contact@vulcanseals.com



Vulcan Seals

Vulcan vs Seal Number Reference List

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS2203	1.250	C	QCFKF
VS2203-CMS	1.250	C	QCFKF
VS2204	0.625	A	VCFZF
VS2205	2.500	E	BCFKF
VS2205-EPR	2.500	E	QCFKF
VS2206	0.625	C	QCFKF
VS2207	1.750	C	VCFZF
VS2208	1.250	C	BZFZF
VS2209	1.500	C	BZFZF
VS2210	1.750	C	BCFZF
VS2211	1.250	T	BCFJF
VS2212	1.750	C	BCFJF
VS2212-SC-SC	1.750	C	BLFLF
VS2214	0.625	C	QCFJF
VS2215	1.250	C	QCFJF
VS2216	1.000	C	BZFZF
VS2216V-CMS	1.000	C	VZFZF
VS2217	1.500	C	BZFZF
VS2219	2.000	C	BZFZF
VS2221	1.500	C	QCFKF
VS2223	1.500	C	VCFZF
VS2223-SC-SEAT	1.500	C	VCFLF
VS2224	0.875	C	QCFKF
VS2226	1.125	C	QCFZF
VS2227	1.125	C	BCFJF
VS2229V-A	0.750	C	VCFKF
VS2230	1.250	C	BCFJF
VS2230V	1.250	C	VCFJF
VS2232	1.500	C	BCFKF
VS2235	0.750	C	VCFJF
VS2235-SC-TC	0.750	C	VLZVF
VS2236	0.750	C	BCFJF
VS2237	1.875	K	BCFJF
VS3001	0.500	G	VCFJF
VS3002	0.500	G	VCFJF
VS3003	0.500	G	BCFJF
VS3004	0.500	G	QCFLF
VS3005	0.625	G	VLFLF
VS3006	0.625	G	BCFJF
VS3008	2.375	G	BCFJF
VS3009	0.875	G	BCFJF
VS3010	1.000	G	BCFLF
VS3013	1.125	G	VCFLF
VS3014	1.375	G	BLFZF
VS3016	1.750	G	BLFLF
VS3017	1.875	G	BCFJF
VS3018	1.875	G	BLFLF
VS3019	2.000	G	QLFLF
VS3020	2.125	G	QCFJF
VS3021	3.000	G	VLFLF

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS3022	2.375	G	BLFZF
VS3023	1.250	D	QCFLF
VS3024	1.750	E	VCFZF
VS3025	1.625	D	QCFLF
VS3026	1.625	D	BCFGF
VS3027	2.000	C	QCFZF
VS3030	1.625	C	QCFJF
VS3031	1.750	E	VLFLF
VS3032	1.250	D	VLFLF
VS3035	2.125	D	QCFLF
VS3037	2.750	E	BZFZF
VS3038	1.375	C	QCFZF
VS3047	0.625	B	BCFJF
VS3048	0.500	B	BCFJF
VS3052	0.500	C	QCFJF
VS3107	0.625	G	VCFJF
VS3121	0.625	C	VCFKF
VS3124	0.625	B	BCFJF
VS3132	0.625	D	NCFLF
VS3133	0.625	C	NCFKF
VS3140	0.590	C	VCFJF
VS3147	0.625	C	QCFKF
VS3148	0.625	E	BCFJF
VS3158	1.771	G	VLFLF
VS3192	0.590	D	VCFKF
VS3197	0.500	C	VCFJF
VS3200	0.625	G	VCFJF
VS3202	0.625	B	QCFJF
VS3204	0.625	G	BCFJF
VS3212	0.625	B	VCFJF
VS3225	0.500	A	BCFJF
VS3226	0.500	C	VCFKF
VS3228	0.625	A	VCFJF
VS3502	2.125	E	BCF-F
VS3507	0.875	E	VZFLF
VS3522	2.000	E	BCFKF
VS3525	0.625	C	QCFKF
VS3530	2.250	E	VZFZF
VS3537	2.250	C	BCFJF
VS3538	1.250	C	VCFLF
VS3543	1.625	C	VCFZF
VS3550	0.625	C	VRFRF
VS3561	0.500	C	BCFJF
VS3563	0.500	C	QCFLF
VS3568	0.500	G	QLFLF
VS3580	2.000	C	QCFZF
VS3583	0.500	C	BCFKF
VS3586	0.625	G	QCFJF
VS3613	0.625	C	VLFLF
VS3616	1.625	C	QCFKF

Embrace Excellence - Vulcan Service, Quality and Value

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing | Expanded PTFE Gasketing

UK/World: +44 (0) 114 249 3333 | USA: +1 952 955 8800 | www.vulcanseals.com | contact@vulcanseals.com



Vulcan Seals

Vulcan vs Seal Number Reference List

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS3625	1.000	E	VCFZF
VS3664	1.625	C	BZFZF
VS3674	2.000	C	QCFKF
VS3677	0.625	D	BCFLF
VS3707	0.625	C	QLFLF
VS3708	2.000	E	BCFZF
VS3723	0.625	C	QCFJF
VS3741	0.625	B	VLFLF
VS3747	0.625	C	BCFLF
VS3772	1.625	D	VZFLF
VS3773	2.250	C	VZFZF
VS3791	0.625	C	BCFJF
VS3816	0.625	A	VCFKF
VS3843	0.500	C	VCFJF
VS3844	0.500	C	BCFJF
VS3864	0.625	A	VCFJF
VS3865R	0.625	B	VCFJF
VS3888	2.500	D	VZFLF
VS3909	0.500	G	BLFLF
VS3913	0.500	C	BCFJF
VS3938	1.181	D	VCFZF
VS3951	2.250	E	VCFKF
VS3985	0.750	B	BCFJF
VS3986	0.750	B	VCFJF
VS3996	0.875	C	VCFLF
VS4006	2.375	E	BCFZF
VS4042	0.787	C	BCFJF
VS4045	0.500	C	VCFJF
VS4056	0.750	B	QCFJF
VS4106	0.750	B	VCFJF
VS4172	3.000	E	VCFKF
VS4180	0.500	G	BCFJF
VS4193	1.875	E	VCF-F
VS4194	1.375	D	VLFLF
VS4214	0.500	C	BCFJF
VS4218	0.500	B	BCF-F
VS4225	0.472	G	QCFLF
VS4246	1.250	D	BCFLF
VS4263	1.750	T	VCFJF
VS4272	0.625	C	BCFJF
VS4470	0.625	A	BMFJF
VS5676	1.375	C	VCFJF
VS5676V	1.375	C	VCFJF
VS5711	1.375	C	VCFKF
VS5717	1.875	C	VCFJF
VS5723	0.984	C	QCFLF
VS6002	2.625	D	VCFKF
VS6094	1.875	D	VCPSF
VS6155	2.750	C	VCFKF
VS6202	3.000	D	BZFZF

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS6203	3.750	D	VCFJF
VS6210	1.750	C	BZFZF
VS6213	2.000	C	VZFZF
VS6216	0.625	C	VZFZF
VS6217	1.750	D	VZFLF
VS6218	2.000	C	VZFZF
VS6219	3.000	D	BZFLF
VS6224	2.000	C	VLFLF
VS6232	3.000	D	VZFLF
VS6259	1.250	G	VCFJF
VS6260	1.250	G	QCFZF
VS6261	1.250	G	QCFJF
VS6264	1.250	G	VCFJF
VS6266	1.250	G	BCFLF
VS6321	0.500	C	BCFKF
VS6331	1.000	E	BCPKF
VS7035	1.750	C	QCFZF
VS7064	2.250	C	BZFZF
VS7138	2.250	C	BCFJF
VS7305	0.750	C	VLFLF
VS7409	1.500	C	VCFJF
VS7436	1.250	C	QCFZF
VS7520	0.590	C	BCFKF
VS7547	0.625	C	VLFLF
VS7553	0.590	C	BCFJF
VS7562	1.500	E	QCFZF
VS7632	1.500	C	QCFZF
VS7689	0.625	C	QCFKF
VS7712	0.500	C	BMFJF
VS7736	1.750	E	QCFZF
VS7740	0.500	C	BMFJF
VS7782	2.250	C	BCFKF
VS7806	1.625	C	VLFLF
VS7869	1.875	E	QCFZF
VS7875	3.000	C	BZFZF
VS7896	0.875	E	VCEZE
VS7902	1.625	C	VCFJF
VS7909	2.625	D	BCFJF
VS7924	1.750	E	VCFLF
VS7929	0.625	B	VLFLF
VS7933	1.500	E	QCFZF
VS7937	1.500	C	QLFLF
VS7953	1.500	C	QCFJF
VS7959	1.750	D	VRFZF
VS7962	1.875	E	VCFKF
VS7972	1.250	G	BLFLF
VS7985	2.500	E	QCFZF
VS7993	3.000	T	BCFJF
VS8028	3.875	X	VCFKF
VS8055	3.875	X	VCFJF

Embrace Excellence - Vulcan Service, Quality and Value

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing | Expanded PTFE Gasketing

UK/World: +44 (0) 114 249 3333 | USA: +1 952 955 8800 | www.vulcanseals.com | contact@vulcanseals.com



Vulcan Seals

Vulcan vs Seal Number Reference List

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS8091	1.000	X	VCFRF
VS9313	1.000	W	TCFKF
VS9334	1.000	W	TCFOF
VS10033	0.500	C	VCF-F
VS10036	0.875	C	VCF-F
VS10040	1.250	C	VCF-F
VS10043	1.500	C	VCF-F
VS10045	1.750	C	VCF-F
VS10047	2.000	C	VCF-F
VS10159	1.750	C	BRF-F
VS10165	1.375	C	QCF-F
VS10166	1.375	C	BCF-F
VS10167	1.500	E	BCF-F
VS10168	1.750	C	BCF-F
VS1155V	0.625	C	VCFJF
VS1155V-TC-SEAT	0.625	C	VCFZF
VS118V-CMS	0.625	C	VCFJF
VS1688V	2.250	E	VCFJF
VS1875V	1.875	C	VCF-F
VS238V-CMS-316SS	1.625	C	VCFJF
VS263V	0.625	D	VCFKF
VS274V	0.625	E	VCFJF
VS275-EPR	0.750	C	QCFJF
VS275V	0.750	C	VCFJF
VS278-A	2.375	E	BCFJF
VS279-CMS-A	2.500	E	BCFJF
VS279V	2.500	E	VCFJF
VS279V-SC-TC	2.500	E	VLZF
VS281-CMS	1.625	R	BCFKF
VS282V	1.125	U	VCFKF
VS288-EPR	1.750	D	QCFKF
VS288-A	1.750	D	BCFKF
VS288V-CMS	1.750	D	VCFKF
VS300V	0.625	A	VCFJF
VS340-EPR-CMS	1.875	C	QCFJF
VS350V	2.375	E	VCF-F
VS350V-A-TC	2.375	E	VCFZF
VS356-EPR-SC-SC	1.125	C	QLFLF
VS356-A	1.125	C	BCFJF
VS356V-SC-SC-CMS	1.125	C	VLFLF
VS357V	1.000	C	VCFKF
VS358V-SC-SC	0.750	C	VLFLF
VS359-EPR-A	0.625	C	QCFJF
VS359-EPR-A-TC	0.625	C	QCFZF
VS359-A	0.625	C	BCFJF
VS359V-CMS-A	0.625	C	VCFJF
VS359V-A	0.625	C	VCFJF
VS359V-SC-CMS	0.625	C	VCFLF
VS361V	1.250	E	VCFJF
VS371V	1.500	D	VCFKF

Vulcan Seal Part No.	Shaft Size	Head Type	Material Code
VS392-EPR-A	0.500	C	QCFJF
VS392-A	0.500	C	B/QCFJF
VS392V	0.500	C	V/QCFJF
VS392V-A	0.500	C	V/QCFJF
VS400V	0.500	C	VCF-F
VS446-SC-SEAT	1.750	C	BCFLF
VS446V	1.750	C	VCFJF
VS448V-SC-TC	1.750	C	VLZF
VS491-EPR	1.375	D	QCDJF
VS492-CMS-A	2.375	C	BCFKF
VS492-A	2.375	C	BCFKF
VS517-TC-SEAT	1.250	D	BCFZF
VS601V	0.750	B	VCFJF
VS604V-CMS	1.125	D	VCFJF
VS608V	1.125	E	VCF-F
VS633V-A	0.625	C	VCFKF
VS659V	1.500	C	VCFKF
VS732-EPR	0.625	C	QCFKF
VS7520V	0.590	C	VCFKF
VS756V-CMS	1.250	C	VCFKF
VS756V-SC-SEAT	1.250	C	VCFLF
VS758-EPR-CMS	1.500	C	QCFJF
VS758-SC-SC	1.500	C	BLFLF
VS758-SC-SEAT	1.500	C	BCFLF
VS758-SC-TC-CMS	1.500	C	BLZF
VS758V-SC-SEAT	1.500	C	VCFLF
VS805V-SC-SC	1.375	C	VLFLF
VS935V-CMS	0.875	E	VCFKF

Embrace Excellence - Vulcan Service, Quality and Value

Mechanical Seals | FEP/PFA Encapsulated 'O'-Rings | Gland Packing | Expanded PTFE Gasketing

UK/World: +44 (0) 114 249 3333 | USA: +1 952 955 8800 | www.vulcanseals.com | contact@vulcanseals.com